



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/944,755	08/31/2001	Hiroyuki Marumori	16869N-033200US	2739
20350	7590 03/03/2005		EXAM	INER
	ID AND TOWNSEND	HUBER, PAUL W		
TWO EMBARCADERO CENTER EIGHTH FLOOR SAN FRANCISCO, CA 94111-3834			ART UNIT	PAPER NUMBER
			2653	
			DATE MAILED: 03/03/2009	5

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental					
Notice	of Allowability				

Application No.	Applicant(s)
09/944,755	MARUMORI ET AL.
Examiner	Art Unit
Paul Huber	2653

The MAILING DATE of this communication appears on All claims being allowable, PROSECUTION ON THE MERITS IS (OR RE herewith (or previously mailed), a Notice of Allowance (PTOL-85) or othe NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. of the Office or upon petition by the applicant. See 37 CFR 1.313 and MI	EMAINS) CLOSED in this application. If not included appropriate communication will be mailed in due course. THIS This application is subject to withdrawal from issue at the initiative
1. This communication is responsive to	and the second s
2. The allowed claim(s) is/are 4, 6 and 12-15 (renumbered as claims	1-6, respectively).
3. \boxtimes The drawings filed on <u>31 August 2001</u> are accepted by the Examin	ner.
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this conted below. Failure to timely comply will result in ABANDONMENT of	eceived. eceived in Application No s have been received in this national stage application from the
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. No INFORMAL PATENT APPLICATION (PTO-152) which gives reasonable. 	
6. CORRECTED DRAWINGS (as "replacement sheets") must be sul	
(a) including changes required by the Notice of Draftsperson's Pa	tent Drawing Review (PTO-948) attached
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amen 	dmont / Commant or in the Office action of
Paper No./Mail Date	unient / Comment of in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) s each sheet. Replacement sheet(s) should be labeled as such in the head	hould be written on the drawings in the front (not the back) of er according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of B attached Examiner's comment regarding REQUIREMENT FOR THE	IOLOGICAL MATERIAL must be submitted. Note the HE DEPOSIT OF BIOLOGICAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date	Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's Statement of Reasons for Allowance 9. ☐ Other
of Diological Material	PAUL W. HUBER

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Art Unit: 2653

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, page 18; line 25 was deleted.

In the specification, page 19; lines 1-4 were deleted.

The specification was amended to correct the citation of two descriptions for figures 1 and 2.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Huber whose telephone number is 703-308-1549.

Paul Huber
Primary Examiner
Art Unit 2653

pwh March 2, 2005